

Adapted wash basin kit

- Wash basin kit equipped with: hand wash with one deep basin (GIAMPIERI H5), reclining support (GIAMPIERI 303B), Surface siphon kit (GIAMPIERI 302A) and mixer with lever (GIAMPIERI 07200.B).



SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI wash basin kit equipped with a hand wash with one deep basin (GIAMPIERI H5), reclining support (GIAMPIERI 303B), Surface siphon kit (GIAMPIERI 302A) and mixer with lever (GIAMPIERI 07200.B).



NOFER S.L.
 Avenida de la fama, 118
 08940 · Cornellà de Llobregat (Barcelona)
 Tel +34 934 742 423 · Fax +34 934 743 548
 nofer@nofer.com · www.nofer.com

Productos
Relacionados



H14



H12

Adapted ceramic wash basin

- Ergonomic wash basin made of ceramics for people with disabilities.
- Front part specially designed to facilitate the use of the wash basin when approaching with wheelchair.
- Provided with armrests and anti splash.
- Build in wash basin without pedestal.
- Suitable for public spaces with high frequency of use.
- Durability and resistance against weathering. Easy to clean.

TECHNICAL DATA


- Made of white ceramic.
- Dimensions: 155 height x 650 width x 525 depth (mm).
- Build in wash basin without pedestal. Fixation support not included. Three available systems: fixed support (GIAMPIERI 303A), reclining support (GIAMPIERI 303B) and air-driven reclining support (GIAMPIERI 303C).
- Trap and drain valve not included. Two available options: Trap and drain valve set embedded to the wall (GIAMPIERI 302P) and trap with drain valve set at surface.
- Net weight: 18 kg.



SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI ergonomic wash basin made of ceramics specially design for people with disabilities. Dimensions: 155 height x 650 width x 525 depth (mm).

TECHNICAL DRAWING



Reclining support for ergonomic wash basin

- Reclining support for ergonomic wash basin.
- The support consists on two joined tilting brackets that are fixed to the wall under the wash basin and allow to recline the wash basin.
- Suitable for ergonomic wash basin GIAMPIERI H5.

TECHNICAL DATA

- System compound of two joined tilting brackets made of white painted steel.
- Dimensions: 146 height x 660 width x 385 depth (mm).
- Fixings materials included.



SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI manual reclining support for wash basin made of white painted steel. Dimensions: 146 height x 660 width x 385 depth (mm).



NOFER S.L.
Avenida de la fama, 118
08940 · Cornellà de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com

Related
Products



303B


303C

302P

302A

H5

H14



DIMENSIONS IN mm

Drainage kit for ergonomic wash basin

- Drainage kit compound by: surface siphon, flexible tube and valve.
- Suitable to ergonomic wash basin GIAMPIERI H5.




TECHNICAL DATA

- Brass drainage valve of 1-1/4 " with tap.
- Flexible tube of 1-1/4" x 40 mm.

SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI drainage kit compound by surface siphon, flexible tube and valve. Suitable to ergonomic wash basin GIAMPIERI H5.

TECHNICAL DRAWING



DIMENSIONES EN mm



NOFER S.L.
Avenida de la fama, 118
08940 · Cornellà de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com

Products



302P



303B



303C



H5



H14



H12

Counter top mixer tap with lever



- Mixer tap with lever.
- To install on counter top.
- Easy to use and hygienic.
- Fixed spout.
- Durability and resistance against corrosion.
- Designed to adapted public places.
- Easy to clean.


TECHNICAL DATA

- Made of chromed brass.
- Dimensions: 290 height x 50 width x 250 depth (mm).
- Max temperature: 85°C.
- Recommended temperature: 65°C.
- Flow rate: 0,53 m³/h (at 1 bar).

SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI mixer tap with lever, made of chromed brass, polish finish. To install on countertop. Fixed spout. Dimensions: 290 height x 50 width x 250 depth (mm).

TECHNICAL DRAWING



DIMENSIONS INN mm



NOFER S.L.
 Avenida de la fama, 118
 08940 · Cornellà de Llobregat (Barcelona)
 Tel +34 934 742 423 · Fax +34 934 743 548
 export@nofer.com · www.nofer.com

Related Products

