

Toilet kit

- Toilet kit equipped with: ergonomic toilet (GIAMPIERI 31P), reservoir (NOFER C1), toilet seat with cover (NOFER 13144.I) and thermostatic mixer with lever (NOFER 186D).



SUGGESTED TEXT FOR PRESCRIPTION

NOFER toilet kit equipped with ergonomic toilet (GIAMPIERI 31P), reservoir (NOFER C1), toilet seat with cover (NOFER 13144.I) and thermostatic mixer with lever (NOFER 186D).

Ergonomic toilet with front opening for people with disabilities



- Ergonomic toilet made of vitreous china.
- Designed with front opening for people with disabilities.
- With two anchor points to the floor.
- Suitable for public use toilets.
- Durability and resistance to weathering.
- Easy to clean.
- Suitable for people with advanced age.
- Available NOFER C1 cistern and ergonomic seat with lid NOFER 13144.I.


TECHNICAL DATA

- Made of white vitreous china.
- Ø 100 mm Drainage diameter. Optionally available with drain to floor (GIAMPIERI 21S).
- Optionally available with wall or floor drainage.
- Dimensions: 495 height x 390 width x 590 depth (mm).
- Recommended installation distance for adapted installation: 750 mm from the outer edge of the toilet to the wall.
- To clean the toilet, non-abrasive detergents and disinfectants are recommended.

SUGGESTED TEXT FOR PRESCRIPTION

GIAMPIERI ergonomic toilet made of white vitreous china, specially designed for people with disabilities. Ø 100 mm drainage diameter optionally available to wall or floor. Dimensions: 495 height x 390 width x 590 depth (mm).

TECHNICAL DRAWING



NOFER S.L.
Ctra. Laureà Miró, 385-387
08980 · Sant Feliu de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com

Related
Products



13141



13142



13149



13161



13181



13183

Toilet reservoir

- Toilet reservoir.




TECHNICAL DATA

- Made of white plastic.
- Includes connection tube to toilet, cistern outlet Ø 50 x 350 mm, toilet inlet Ø 40 x 250 mm (CODE 90743).
- 3/8 "water connection.
- Dimensions: 330 height x 445 width x 123 depth (mm).
- 9 liter capacity, adjustable.
- Recommended installation height: upper part of the tank to the ground between 800 and 850 mm.

SUGGESTED TEXT FOR PRESCRIPTION

NOFER toilet reservoir. Made of white plastic. Dimensions: 330 height x 445 width x 123 depth (mm).

TECHNICAL DRAWING




DIMENSIONS IN mm



NOFER S.L.
Ctra. Laureà Miró, 385-387
08980 · Sant Feliu de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com

INSTALLATION



DIMENSIONS IN mm.

Ergonomic seat with cover

- Ergonomic toilet seat with cover.
- Front opening to facilitate bidet use.
- Durability and resistance.
- Easy to clean.


TECHNICAL DATA

- Made of white polyester.
- Dimensions: 392 mm width x 455 mm depth x 35 mm height. Seat height without cover: 25 mm.
- Suitable to GIAMPIERI toilets 21S & 31P.

SUGGESTED TEXT FOR PRESCRIPTION

NOFER ergonomic toilet seat with cover and front opening to facilitate bidet use. Made of white polyester. Dimensions: 392 mm width x 455 mm depth x 35 mm height.

TECHNICAL DRAWING



NOFER S.L.
Ctra. Laureà Miró, 385-387
08980 · Sant Feliu de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com


Related Products



21M



H50M



15034



15032



13161



C1

Wall based thermostatic mixer

- External thermostatic mixer with lever driven.
- Suitable to use in adapted bathrooms.
- Shower with wall support to use it for hygienical services for people with disabilities and toilet with bidet functions.
- 1200 mm flexible tube with nylon reinforcement.

TECHNICAL DATA


- Shower with flow limiter to 4 liters/minute.
- Safety valve included.
- Ø 1/2" Inlet water connections separated 150 mm between them.



SUGGESTED TEXT FOR PRESCRIPTION

NOFER thermostatic mixer, lever driven and with temperature regulator. Dimensions: 275 mm width x 275 mm depth (height including the lever: 240 mm)

TECHNICAL DRAWING



DIMENSIONS IN mm



NOFER S.L.
Ctra. Laureà Miró, 385-387
08980 · Sant Feliu de Llobregat (Barcelona)
Tel +34 934 742 423 · Fax +34 934 743 548
nofer@nofer.com · www.nofer.com

Related
Products



13141



13142



13149



13161



C1



13183